

THE SYSTEM

ONE GRID.

INFINITE POSSIBILITIES!

SYSTEM

***THE LEADING SYSTEM FOR
EASY AND SUSTAINABLE
EVENT BUILDING.***

Intro

b62®	6
Why bematrix?	7
Building curved sections made easy	8

Product principles the system

Straight frames	16
Infills	20
Doors	24
Curves	30
Frame versatility	34
Flooring solutions	38
Covers	44
Corners	48
Baseplates	54
Shelves & brackets	58
Frame click-ins	60
Flatscreen & panel holders	64
Glass frames	68
Custom solutions	70
Boxscreens	74
iZi furniture	76
Packs	80
Efficient handling, easy transportation	84

Support

My bematrix	90
Global Rental Network	92
Find and contact us	94

EASY & SUSTAINABLE EVENT BUILDING



**BEMATRIX IS THE INVENTOR AND
BELGIAN MANUFACTURER OF THE
FRAME SYSTEM WITH BIG HOLES,
LAUNCHED IN 1993.**

Bematrix leverages the event industry towards positive transformation with a higher convenience and return for customers in a sustainable manner.

OUR MISSION IS TO BE THE LEADING SYSTEM FOR EASY AND SUSTAINABLE EVENT BUILDING!

The bematrix system offers event builders and exhibitors endless possibilities with endless kinds of concepts for exhibition stands, congress walls, expositions, indoor and outdoor events and pop-ups.

A SUSTAINABLE STEP FORWARD: FRAMES WITH ECO+ FINISH

Bematrix introduced the ECO frame as an ecological alternative to the anodised frame.


Anodising is a chemical surface treatment harmful to the environment. We invented a brushing technique with the same look as the end result, but with a lower environmental impact.

**MORE ON OUR
EFFORTS TO MINIMISE OUR
IMPACT ON THE ENVIRONMENT
IN OUR SUSTAINABILITY REPORT**



Scan the QR-code for impact

"The bematrix system offers endless possibilities for exhibition stands, congress walls, expositions, indoor and outdoor events and pop-ups. You have one frame, but infinite possibilities."



All dimensions of the b62® frame system have been **based on the perfect 62 × 62 mm matrix**. The width, length and height of the constructions are always multiples of 62.

The 62 mm matrix delivers **the ultimate modularity with countless configuration options**.



Why bematrix?

FAST & EASY BUILDING

Less sweat, more wow. Our **lightweight, tool-less system** lets builders set up faster, drink their coffee warmer and still deliver more projects in less time.

YOUR BUSINESS ACCELERATOR

Our frames don't just build stands, they build companies. By investing in **long-lasting solutions**, entrepreneurs cut costs, scale smarter and grow without needing an army of extra hands.

SUSTAINABILITY WITH A SMILE

We were **reusable** before it was cool. Our frames are designed to last, be reused again (and again), and eventually upcycled or recycled. **Good for the planet**, great for your karma.

NO LIMITS TO CREATIVITY

Designers love bematrix because we say “yes” where others say “impossible.” **One grid, infinite possibilities** – from jaw-dropping brand stories to experiences that get people talking.

BACKED BY A GLOBAL FAMILY OF INNOVATORS

Working with bematrix means joining **the original innovator** in modular frame systems – and a movement that's always first with the next big thing. With 12 rental hubs, a global bePartner and beMaster network, and 300+ passionate beManiacs, you're never alone. **Wherever you are, we've got your back.**



**BUILD FASTER, GROW SMARTER,
CREATE WITHOUT LIMITS, REUSE FOREVER!**

– AND KNOW WE'VE GOT YOUR BACK, WHEREVER YOU GO.

Building curved sections made easy

No matter the intricacy of your ideas or design concept, with our **b62®** curved frames range, available in 7 radius options, any project can come to life thanks to the endless possibilities when combined with standard frames.

Straight and curved frames are fully compatible because of the perfect 62 x 62 matrix and any infills will fit seamlessly.



C = Circumference
R = Radius
Ø = Diameter

PRODUCT PRINCIPLES





b62

The 62 mm grid assures a perfect fit in any direction. Create any shape imaginable.

1



360°

Use the frame for walls, ceilings and floors. It harmoniously blends into one.

5

Toolless

Hardly any tools needed.
The fastest system to build.



Welded frames

Lighter, stronger and faster assembly than standard frames.



6



System & custom

Unique merge of the modular system and custom elements.

3



Bematrix, our DNA

Easy to finish (panels/textile) and always connectable to the rest of the system.

7

ClimatePartner Certified frame

Calculate product carbon footprints, set reduction targets, implement reduction measures and finance climate projects.




Keep the body, change the skin

Endlessly reusable, just change the graphics!

8




THE SYSTEM



Straight frames

It all starts with a wall



THE SAME LOOK WITH AN ECO TWIST

At bematrix, we aim to become carbon neutral by 2026. In every phase of the production process, we are taking steps forward to lower our carbon dioxide output. Our **ECO frame** proved to be a real game changer: we chose to no longer anodise frames, because this chemical treatment pollutes the environment and is in fact unnecessary when the frame is used indoors. The ECO+ finish results in the same finish level as the anodised frame. We use a brushing and polishing technique that approaches the look and benefits of anodisation, however, with zero impact on the environment.



Connect to create the wall

Our system is easy to use, so no mixed or complex connections. Quick mounting and a stable construction are guaranteed by our toolless connectors. One of the advantages is that assembly requires no tools.


FAST CLAMP

The Fast Clamp is the 7th of its generation. It allows an even faster, easier, stronger and more sustainable toolless connection between two aluminium frames.

The push button on one side activates an ingenious locking mechanism. No more screwing! This will help stand builders **reduce their assembly time by half** without compromising on strength. After pushing the product in place, the only thing that still needs to happen is a short finetuning adjustment. Another time saving feature is that the Fast Clamp can be left in its position – inside the frame – during transport and storage. The use of the Fast Clamp also simplifies stock management as it remains one piece. No individual parts can get lost or separated from each other.



STEP BY STEP



◆ Start with a straight back wall.

Infills


Design your vibe with panels

While your stand's body (frames) can be reused over and over, you can **adapt the skin** (infills) to the specific needs of each event. Panels in PVC, sandwich panels, wood, (acrylic) glass... anything goes.

Panels are attached to the frame with **VELCRO®**/Hook & Loop tape. VELCRO® hook is attached to the frame, VELCRO® loop to the panel.



© Conceptexpo



© Bulik Standbouw


Dress your stand with textiles

You want a clean look without any visible aluminium? If so, seamless textile is your best choice! The **silicon borders** of these textile infills are stretched over one or more frames' edges.

TIP
Use the **T-REX**, a strong cutting tool to cut silicon edges at the aluminium flanges.
Art. nr 901 50 60 1X



© Conceptexpo



TIP
Use the **Platypus**, the wide side makes it easy to remove panels and the narrow side helps you insert textiles
Art. nr 901 50 70



© Total-e



STEP BY STEP



◆ Add the infills.

Doors

Enter new possibilities

During a trade fair or an event, you need storage space to safely keep your stock and other (valuable) objects. The different types of doors in the bematrix range allow you to lock your storage space or to create a separate meeting space. Whichever type you choose, each one is extremely user-friendly for both the stand builder and the exhibitor.



DOOR FRAME

Standard width	992 mm
Standard height	1984 / 2418 / 2480 / 2976 mm
Clear passage width	868 mm

Art. nr 628 0992 ++++



PIVOT THE DOOR



SINGLE SELF-CLOSING PIVOT DOOR

Standard width	992 mm
Standard height	1984 / 2418 / 2480 / 2976 mm
Clear passage width	741 mm

Art. nr 645 0992 ++++



GLASS DOOR

Standard width	992 mm
Standard height	1984 / 2418 / 2480 mm
Clear passage width	900 mm

Art. nr 445 ++++ ++++



DOUBLE PIVOT DOOR

Standard width	1984 mm
Standard height	1984 / 2480 / 2976 mm
Clear passage width	1610 mm

Art. nr 622 1984 ++++



CURVED PIVOT DOOR (LEFT & RIGHT)

Radius	R1488 R2976
Standard height	1984 / 2480 / 2976 mm
Clear passage width	841 mm 881 mm

Art. nr 629 1488 ++++
Art. nr 629 2976 ++++

SLIDE THE DOOR



**SLIDING DOOR
STANDARD
(LEFT & RIGHT)**

Standard width	992 mm
Standard height	1984 / 2418 / 2480 / 2976 mm

Art. nr 635 0992 +++++




**SLIDING DOOR
PRO (LEFT &
RIGHT)**

Standard width	1984 mm
Standard height	1984 / 2418 / 2480 / 2976 mm


Art. nr 634 1984 +++++




STEP BY STEP



◆ Add a door to create the storage room.



© Choup's



© LDL Communication



Curves

No matter the intricacy of your ideas or design concept, with our **b62® curved frames range with 7 radii**, any project can come to life thanks to the endless possibilities when combined with standard frames.

Straight and curved frames are fully compatible because of the perfect 62 x 62 matrix and any infills will fit seamlessly.




SHAPE YOUR STAND WITH CURVES

*"Happiness comes in waves.
Any project comes to life with
our curved frame range!"*






STEP BY STEP



◆ Add curved frames.

Frame versatility

Wall, ceiling, floor? **One frame, three applications.** Bematrix redefined the art of stand building with its **360° concept**. The strong, light and modular aluminium frames can be assembled into a unique harmoniously blend.





STEP BY STEP



◆ Build the ceiling and the floor. All with one single system!


Flooring solutions

Re-Connect floor

A raised floor may be standard in exhibition stand construction, but our **Re-Connect floor** takes functionality, flexibility, and efficiency to a whole new level.

Despite its **lightweight design**, Re-Connect floor delivers exceptional **strength and stability**. This clip & socket system is engineered to support heavy loads, including vehicles, while adapting effortlessly to uneven surfaces. Suitable for **both indoor and outdoor applications**.

The result? A premium raised floor that enhances the overall appearance of every stand while reduce on-site labour, saving both time and costs.



WHY YOU WILL LOVE THIS

- ◆ Speed of install and dismantle is 50m = 3 people & 10 mins
- ◆ 27 cable access positions per m²
- ◆ Create multiple layout combinations by rotating the tiles
- ◆ Cabling and plumbing remain completely hidden
- ◆ Made with 40% recycled PP and 100% recyclable
- ◆ 10 year life cycle giving excellent ROI
- ◆ Available for hire & purchase from all RSCs

WATCH & LEARN
HOW TO BUILD



Scan the QR-code and learn
how to build



Single person
installation
in just

**9 MINS
25 SEC**

FOR 25M²





**FASTER,
SIMPLER,
GREENER!**

Our cleverly designed sets and handy accessories make floor design easy. Explore the full product range on our website!



**RE-CONNECT
SET 1M²**
Art. nr 902 1000 1000

Also available with sloped
edge:



**SLOPED
CORNER TILE**
Art. nr 902 0467 0467

EXPLORE THE
FULL RANGE



Scan the QR-code!



**RE-CONNECT
FLOOR**



HOW RE-CONNECT
CAME TO LIFE THROUGH
COLLABORATION
WITH EXPO FLOORS



Scan the QR-code!



Frame floor


The bematrix system allows you to create a variety of layouts thanks to its innovative design. Each frame can be used as a floor. Thanks to this **360° concept**, bematrix is a great investment with a high return.



REINFORCEMENT FLOORING SYSTEM
Art. nr 901 20 020



ADJUSTABLE FOOT FLOORING SYSTEM
Art. nr 901 20 010



FRAME FLOOR


Upgrade your stand with LED lighting beneath the frame floor for a premium and floating effect.

Covers

Bematrix frames are handy and easy to assemble. On most occasions, exhibitors want to camouflage the 'body' or frame, making the construction almost invisible. Next to the seamless textile concept, we also offer covers that can hide the bematrix hole pattern. The result? A smooth and sleek finish.




Hide the hole pattern



B62 COVER
Practical cover to clip on b62 frames.
Standard in RAL 9006 TEC but possible in any RAL colour.
Mount with Cover clip and finish with End piece.

Art. nr 608 ++++ D00 TG


End piece:
Art. nr 608 11 01 TG



B124 COVER
Practical cover to clip on a 124 mm double wall or a 124 Lightbox. Standard in RAL 9006 TEC but possible in any RAL colour.
Mount with Cover clip and finish with End piece.

Art. nr 653 ++++ D00 9090 TG

End piece:
Art. nr 653 11 01



B186 COVER
Practical cover to clip on a 186 mm wall. Standard in RAL 9006 TEC but possible in any RAL colour.
Mount with Cover clip and finish with End piece.


Art. nr 650 ++++ DO 9090 TG

End piece:
Art. nr 650 11 02




COVERTAPE
Fast, cheaper and efficient alternative for the b62 cover. No glue residue on the frame.
Easy to cut during assembly.
Available in white, gray or black.
Peel off the backside and apply gently to the frame.

Art. nr 610 00 01



STEEL COVER (90° OR CURVED)
A sturdy steel cover to support your 'up & over' builds. Indispensable for 360° constructions.
Standard powder coated in RAL 9006 TEC.
Fixed with Ø30 pins and M8 connectors.


Art. nr 608 ++++ RAL



B62 PERFECT COVER WITH TEXTILE SLOT
Perfect cover that guarantees a perfect finish for wide fronts, ideal for finishing double walls and beTruss. Standard powder coated in RAL 9006 TEC.
Mount with Cover clip and finish with End piece.

Art. nr 601 ++++ D00 TG

The parts behind the cover



COVER CLIP

Tool to attach covers to the frames. Simply attach the cover clip onto the holes, click the cover onto it and you're done. The rubber outer of the clip prevents the cover from moving.

Art. nr 901 00 030 MKII

M8 PIN

M8 bolt to fix the frame on the pins.
Fast installation thanks to the long guide.

Art. nr 901 2048 0066 E




M8 COVER FIXATION

Sturdy, metal cover fixation to fix our aluminium cover profiles.

Art. nr 901 00 033



STEP BY STEP



- ◆ Add the covers to the frames.
- ◆ Add a Lightbox.


Corners

Corner frames

Never cut corners or accept anything that's second-rate. Creating sharp and perfect looking corners is a piece of cake with our corner frames. Finish with the panels or textiles of your choice.

PERFECT CORNER, PERFECT RESULT

The Perfect corner is a **welded 90° corner frame**. Combine the Perfect corner with any of the b62® frames, curved, straight, doors,... to get the most out of your design. The Perfect corner consists of a slot connector and support profile. As a result, it is possible to add two straight panels with a single small lip. Another option is to **construct a corner with a standard frame**.




PERFECT CORNER 90°

Standard width	248 mm 496 mm
Standard height	Available in standard heights. Each height is a multiple of 62 mm.
Infills	Any type of 3mm panel or textile: straight panel, no V-groove needed.

Art. nr 670 0248 ++++ 30 E
Art. nr 670 0496 ++++ 30 E

PERFECT U FOR CLEAN CORNERS



PERFECT U

Standard width	248 mm 496 mm
Standard height	Available in standard heights. Each height is a multiple of 62 mm.
Infills	Any type of 3mm panel or textile: straight panel, no V-groove needed.

Art. nr 671 0248 ++++ 30 E
Art. nr 671 0496 ++++ 30 E

ADJUSTABLE PERFECT CORNER



B62 ADJUSTABLE PERFECT CORNER SLIM

A b62 brushed aluminum or RAL-painted frame with 248 mm sides, the Adjustable Perfect Corner lets you create angles from 90° to 180°. It transports like a straight frame but transforms into a corner - saving on transport and boosting ROI.

Art nr 694 0248 ++++



B62 ADJUSTABLE PERFECT CORNER

A b62 brushed aluminum or RAL-painted frame with 496 mm sides, the Adjustable Perfect Corner creates angles from 90° to 180°. It transports like a straight frame - reducing transport costs and improving ROI.

Art nr 694 0496 ++++

© Bulik

**FOR EDGES
THAT IMPRESS**



Corner profiles

Creativity comes from seeing things from different angles. Discover our wide range of **corner profiles** to create multiple angles with ease and achieve a clean, sharp finish.


SQUARE 62
2-thread slots
[Art. nr 612 ++++ S02](#)



SQUARE 62
3-thread slots
[Art. nr 612 ++++ S03](#)



TEXTILE SQUARE 62
4-thread slots
[Art. nr 614 ++++ S04](#)



PANEL SQUARE 62
4-thread slots
[Art. nr 633 ++++ S04](#)



CORNER POST 45°
2-thread slots
[Art. nr 630 ++++ S02](#)



CORNER POST 60°
2-thread slots
[Art. nr 631 ++++ S02](#)



CORNER POST 120°
2-thread slots
[Art. nr 638 ++++ S02](#)



NEW

CORNER POST 135°
2-thread slots
[Art. nr 632 ++++ S02](#)



CURVED CORNER
2-thread slots
[Art. nr 616 ++++ S02](#)



SQUARE 62
0-thread slots
[Art. nr 612 ++++ S00](#)




Corner profile end pieces

Bematrix allows you to create sharp and perfectly looking corners. Finish the corner profiles in a sleek looking way thanks to the corner profile **end pieces**. Because every corner profile deserves an end piece.



SQUARE 62 END PIECE
An end cap to seal the panel square b62 profile with 2 slots.
[Art. nr 612 11 01](#)



TEXTILE SQUARE 62 END PIECE
An end cap to seal the curved b62 profile.
[Art. nr 614 11 01 MKIII](#)



CURVED CORNER END PIECE
An end cap to seal the curved b62 profile.
[Art. nr 616 11 01](#)



CORNER POST 45° END PIECE
An end cap to seal the b62 corner post 45°.
[Art. nr 630 11 01](#)



CORNER POST 60° END PIECE
An end cap to seal the b62 corner post 60°.
[Art. nr 631 11 01](#)



CORNER POST 135° END PIECE
An end cap to seal the b62 corner post 135°.
[Art. nr 632 11 01](#)

SEE THE PROFILES
OVERVIEW HERE:



Scan the QR-code and find out why!



**PANEL SQUARE 62 END
PIECE**

An end cap to seal the b62
panel square profile with 4
slots.

Art. nr 633 11 01



**PANEL SQUARE 62 TRACK
END PIECE**

An end cap to seal the b62
panel square profile for
track.

Art. nr 637 11 01




**CORNER POST 120° END
PIECE**

An end cap to seal the b62
corner post 120°.

Art. nr 638 11 01



STEP BY STEP



Finished stand design

◆ Add the Perfect U.

Baseplates

NO SHAKY
SETUPS


Create extra stability

Heavy steel baseplates are used for extra stability or as a **plinth for freestanding constructions**. Baseplates are available in different shapes and sizes to fit the shape of your structure. Corners are always rounded to prevent customers from being injured.







Standard width	992 mm	Art. nr 901 11 08 SET TG
BASEPLATE Standard height	496 mm	
Finish	Powder coated	



Standard width	434 mm	Art. nr 901 11 09 SET TG
BASEPLATE Standard height	93 mm	
Finish	Powder coated	



Standard width	496 mm	Art. nr 901 11 07 SET TG
BASEPLATE Standard height	496 mm	
Finish	Powder coated	



Standard width	992 mm	Art. nr 901 11 15 SET TG
SEMI BASEPLATE visible on only 1 side of the frame	310 mm	
Finish	Powder coated	



FRAME COUNTERWEIGHT & FRAME REINFORCEMENT BRACKET	Art. nr 901 60 01 Art. nr 901 60 02
The galvanized steel counterweight strengthens all types of indoor and outdoor constructions.	
In combination with the Frame reinforcement bracket, the counterweights are kept in place in a 100% invisible way.	




Shelves & brackets

Add function to your walls

The bematrix **shelf brackets** offer you a choice of different types of shelves as well as brochure and book holders that can be integrated in your stand or storage space. Another option is to use these shelf brackets to support a table top, for instance the top of your welcome desk.

Our **shelf & tube bracket set** has been specifically designed to hang clothing, for instance to display items on coat hangers.






SHELVES 60°

Standard width	489 mm 985 mm
Mainly used for	A4 folders

Art. nr 901 36 0489 SHELF TG
Art. nr 901 36 0985 SHELF TG



BRACKETS FOR SHELVES

Standard width	Different sizes
Mainly used for	Supporting shelves

Art. nr 901 36 60DEG
Art. nr 901 36 TUBE
Art. nr 901 36 SMALL
Art. nr 901 36 LARGE



TUBE

Standard width	889 mm
Mainly used for	Coat hangers

Art. nr 901 36 0889 TUBE TG



Frame click-ins

Create even more functionality

The bematrix click-in range is the smartest way to add functionality to your stand, without any hassle. Simply **click, finish and you're done**. With just **one set of click tubes**, you can seamlessly integrate spotlights, mounting hooks, power sockets, TV brackets and portholes. The entire range is based on the principles of super-fast installation, flexibility (slide elements exactly where you need them) and a polished finish every time.

WHY YOU WILL LOVE THIS

- ◆ Superfast installation, just CLICK in the frame
- ◆ Compatible with 992 mm & 930 mm frames
- ◆ Slide components to the ideal position (slide across the tube)
- ◆ Achieve an easy, yet high-end finish



**CLICK-IN FLATSCREEN
SUPPORT SET**
[Art. nr 918 10 001 SET](#)



**CLICK-IN SOCKET
HOUSING SET**
[Art. nr 918 10 002 SET](#)



**CLICK-IN SPOTLIGHT
HOUSING SET**
[Art. nr 918 10 003 SET](#)



**CLICK-IN FLATSCREEN
SUPPORT**
[Art. nr 918 10 001](#)



**CLICK-IN SOCKET
HOUSING**
[Art. nr 918 10 002](#)



**CLICK-IN SPOTLIGHT
HOUSING**
[Art. nr 918 10 003](#)

WATCH & LEARN
HOW TO USE THEM



Scan the QR-code and learn it!

CHECK OUT
OUR COMPLETE
CLICK-IN
RANGE



Scan the QR-code and get inspired!

INTEGRATE A PORTHOLE

DID YOU KNOW...

The portholes are based on the very same click-in principle?



MOUNT A TV BRACKET



IMPLEMENT A SPOTLIGHT HOUSING



INSTALL A SOCKET HOUSING




ADD A MOUNTING HOOK



Flatscreen & panel holders

The smart way to add screens

In modern stand building, flatscreens simply are a must. Our **flatscreen support** allows you to integrate your flatscreen in two ways. **Built-in**: where the screen is fully integrated and fully aligned with the frame system's surface. Or **built-on**: where the screen juts out from the panel (no recess required).



FLATSCREEN SUPPORT

Frame width 860 mm Art. nr 901 3706 0860 GALVA



TIP

With **beTV**, you no longer need to use brackets. The beTV is fully integrated in the aluminium frame.

Scan and explore!



The bracket that holds it all

A **universal steel bracket** is meant for mounting wooden panels onto our frames. Thanks to these brackets, also heavier items can be mounted (such as product samples).




Mount more with ease

A **flush mount bracket** is also a steel bracket, however, the item is mounted on the outside of your frame. This type of bracket is perfect to combine custom-made items with your bematrix stock, for example for fixing wooden slats to your structure.




B62 UNIVERSAL BRACKET

Art. nr 901 3703 B62 GALVA



B62 FLUSH MOUNT BRACKET

Art. nr 901 3709 B62 GALVA





Glass frames

Welded glass frame

Glass as an infill is also an option and mounting it becomes quick and easy with the glass frame. Our welded glass frame offers all the advantages of standard straight b62® frames, whilst you can still mount these frames next to and on top of each other, using your trusted bematrix connectors.

True to our bematrix DNA, this glass frame is **fully compatible** with your existing stock. The glass is mounted securely with the accompanying glass mounting set.



Loose glass profiles


Next to the welded frame, you also have the option to build with loose profiles. Its main advantage: there are no visible profile edges between the glass sections.

Important here though is to provide sufficient solidity around the glass, using, for example, a corner profile on top of the glass profiles.



Custom solutions

The bematrix frame system allows for any conceivable shape, outlines and constructions to be built. You cannot find a certain frame in our standard portfolio? Not a problem, we can manufacture a bespoke frame. Such **customised solution** can of course also be used more than once: you can easily integrate them in another stand with a different configuration. No doubt your stand will stand out!



WANT SOMETHING
CUSTOM MADE?
PUT US TO WORK,
WE'RE HERE TO HELP!



Scan the QR-code and get inspired!






© Deusjevoo

Boxscreens

Grab attention from afar


The bematrix **Boxscreens** are solid hanging constructions or can be used as a standalone object. The boxes themselves as well as the textile allow for easy and efficient assembly and ensure your design grabs all the attention. Moreover, it is even possible to add lighting solutions. As with any bematrix solution, you can be sure of a seamless finish, leaving not one profile on show.



BOXSCREEN

Variable in size.


Art. nr 727 ++++++ ++++++



BOXSCREEN MINI

Size max. 1,5mx1,5mx1,5m.

Art. nr 728 ++++++ ++++++



iZi furniture

Modular furniture for your stand

In addition to the versatile bematrix frame system and its endless options, we offer you the iZi-range: modular furniture such as bars and tables to add that final touch to your stand.

IZI-BAR

The iZi-bar is a versatile reception desk that can be used for that particular purpose, but also as a bar or cupboard. It contains two shelves, comes with removable doors with a lock and feet adjustable in height.

On top of that, the iZi-bar is fully customisable using panels or textiles, or you can add a corner, barfly or elevation for a more dynamic look.

IZI-TABLE

The iZi-table is a ready-made table or column that can be covered with all kinds of infills to match the set-up or function of your booth. It is available as a wall table or high table.



IZI-TABLET HOLDER

Our fully customisable iZi-tablet holder stands out thanks to its minimalist look and savvy design.

Your tablet will be secured and cables neatly stored away. You can use it as a freestanding object or secured to the floor.






© All Art Design



© Go Exhibitions

STEP BY STEP



Finished stand design

- ◆ Add a Boxscreen.
- ◆ Pick some modular furniture from our iZi-range.
- ◆ Finish the stand with SAM Lights.

Packs

**AN EASY START
WITH OUR PACKS!**


Create indoor spaces with pop-IN

pop-IN is our flexible concept for all your **indoor pop-up activities**. Think about creating temporary meeting rooms or retail spaces with a high-end look. Compatible with the bematrix frame system, pop-IN can be finished with glass, LEDskin®, textiles and hard panel infills.

POP-IN BOX 3X3

This pop-IN comes in a 3m x 3m x 2,5m, and comes as standard in grey or black.

Art. nr 440 000



POP-IN BOX 6X3

This pop-IN comes in a 6m x 3m x 2,5m, and comes as standard in grey or black.

Art. nr 440 001



Kickoff Packs

Did you already come across our Kickoff Packs? These are **ready to use stand building packs**, with which you can start straight away. All packs have been assembled based on our expertise, allowing you to build many different set-ups with just a small stock of material. Ideal for starters at a great price.

Your Kickoff Pack contains b62® frames, all necessary connectors and all kinds of accessories to complete your stand, as well as a technical drawing and a panel plan (in .PDF and .DXF).

GET A 10% DISCOUNT

A 10% discount is calculated in the gross price of the Kickoff Packs. Buying a pack is thus **more profitable** than buying all the pieces separately.

RENTAL SERVICE CENTRES

Our local service centres provide different **rental solutions** on **short and long term** and support you in urgent matters.



Efficient handling, easy transportation

Stack the frames with the Greenie

This product has been created to make stock management and transport more compact and secure. Frames can be stacked by one person, corners are protected and all dimensions and shapes are possible to stack with this tiny green element.




**STACK, STRAP
& SHIP WITH THE
GREENIE**



Move frames with our trolleys

Our products can be easily transported in a bematrix trolley. Their robust design protects what's inside. The smooth-rolling wheels make the transport easy!



COMPACT DOLLY

The Compact Dolly is your go-to solution to transport bematrix frames in a practical, secure, and space-saving way.

Art. nr 990 60 50

NEW



STEEL TROLLEY FOR 10 B62 FRAMES 2480 MM OR 2976 MM (INCL WOOD PANELS)

This sturdy steel trolley, wooden panels included, is designed to protect a maximum of 10 frames with maximum dimensions of 992 x 2480 mm or 992 x 2976 mm

Art. nr 990 60 33

Art. nr 990 60 34



OPTION FOR EXTRA 10 B62 FRAMES ON STEEL TROLLEY 2480 OR 2976 MM

Thanks to this option, you can add a second level to your steel trolley (990 60 33 + 990 60 34) and add an extra of 10 frames with maximum dimensions of 992 x 2480 mm or 992 x 2976 mm on the storage pile. (incl. wooden panels)

Art. nr 990 60 35


Art. nr 990 60 36

COMPACT DOLLY IN DETAIL

The Compact Dolly makes it easy to **transport up to 24 frames**, including door frames, safely and efficiently. Its reinforced aluminium frame and water-resistant wooden base offer durability. The base can be replaced or branded with your logo.

Its compact size fits smaller trucks, even those with limited space or lift capacity. Four swivel wheels, two with brakes that automatically reset when the Compact Dolly is lifted. Handle slots allow for an optional handle. Empty dollies can be stacked to save space. Upgrade available with baseplate add-on set.


- ◆ Robust design
- ◆ High ROI
- ◆ Water-resistant, replaceable inner plate
- ◆ Smooth rolling
- ◆ Easy and safe transport
- ◆ 100% compatible
- ◆ Stackable when empty



COMPACT DOLLY

Despite its small size, the Compact Dolly can hold 24 frames (including door frames) thanks to a strong aluminium outer structure with steel reinforcements.

Art. nr 990 60 50



COMPACT DOLLY ADD-ON SET

This add-on set with 4 base plate holders and a handle bar (990 60 50 01) extends the Compact Dolly (990 60 50).

Art. nr 990 60 50 01






YOUR RELIABLE PARTNER

SUPPORT

"Before, during and even after the completion of your project, bematrix is always at your service. Bematrix clients can rely on an extensive and innovative product range, creativity that manifests itself in inventive design, thorough technical and commercial support, flexible delivery times and all the benefits of a strong, cohesive international sales network."

My bematrix



Global Rental Network

The Global Rental Network is a **network of service centres** holding a large range of bematrix products, **spread all over Europe, the UK and the USA**. Thanks to this network, you do not have to ship your bematrix stock between locations, but you can use the large stock available locally. Moreover, the availability of frames is almost unlimited, even allowing you to build exceptionally large projects.

LOCATIONS

EU locations + USA locations:
Atlanta & Las Vegas.

We offer two different renting options at a favourable price and, maybe even more interesting, the possibility to spread the cost of your bematrix project.

Short-term renting has a typical run time of 1 day to 6 months.

Long-term renting has a minimal run time of 6 months with a minimum of 50 frames. Both rental plans can also be combined, to meet your specific needs.



BENEFITS

- ◆ Short-term or long-term rental (or combine both)
- ◆ Large local stock
- ◆ Local showroom near you
- ◆ Technical advice and excellent service
- ◆ Test builds possible
- ◆ No extra storage space needed

Find and contact us

bematrix HQ
HEAD OFFICE | PRODUCTION

Wijnendalestraat 174
8800 Roeselare, Belgium

+32 51 20 07 50
info@bematrix.com



 bematrix BELGIUM
RENTAL & SERVICE CENTRE

Wijnendalestraat 174
8800 Roeselare (BE)

+32 51 20 07 50
rental-belgium@bematrix.com

 bematrix UNITED KINGDOM
RENTAL & SERVICE CENTRE

Unit 2 Lobb Farm
OX9 7BE Thame (UK)

+44 1844 28 10 85
rental-UK@bematrix.com

 bematrix THE NETHERLANDS
RENTAL & SERVICE CENTRE

Uilenwaard 6
5236 WB 's-Hertogenbosch (NL)

+31 640 74 66 51
rental-netherlands@bematrix.com

 bematrix SCANDINAVIA
RENTAL & SERVICE CENTRE

Idögatan 55
582 78 Linköping (SE)

+46 727 28 34 54
rental-scandinavia@bematrix.com

 bematrix FRANCE
RENTAL & SERVICE CENTRE

Le Parc de l'Événement
1, Allée d'Effiat, 91160 Longjumeau (FR)

+33 614 51 57 15
rental-france@bematrix.com

 bematrix GERMANY
RENTAL & SERVICE CENTRE

Benzstraße 14
35799 Merenberg (DE)

+49 64 719 272 825
rental-germany@bematrix.com

 bematrix SPAIN
RENTAL & SERVICE CENTRE

C. Torrent Tortuguer 42-52
08210 Barberà del Vallès (ES)

+34 604 473 753
rental-spain@bematrix.com

 bematrix ITALY
RENTAL & SERVICE CENTRE

Via dell'industria 13
37060 Sona (IT)

+39 3453 65 69 32
rental-italy@bematrix.com

 bematrix POLAND
RENTAL & SERVICE CENTRE

św. Michała 100
61-005 Poznań (PL)

+48 513 18 00 99
rental-poland@bematrix.com



bematrix USA
Serving all of North America
OFFICES | PRODUCTION

4476 Park Drive
Norcross, GA 30093, USA

+770 225 0552
customerservice@bematrix.com

 bematrix ATLANTA
RENTAL & SERVICE CENTRE

4476 Park Drive
Norcross, GA 30093 (USA)

+1 770 225 0552
customerservice@bematrix.com

 bematrix LAS VEGAS
RENTAL & SERVICE CENTRE

7900 W Sunset Rd
Las Vegas, NV 89119 (USA)

+1 702 807 2508
customerservice@bematrix.com



COME AND DISCOVER

**ALL THE
INFINITE POSSIBILITIES!**

COME SAY HI

bematrix HQ
Wijnendalestraat 174
8800 Roeselare

+32 (0)51 20 07 50
info@bematrix.com

www.bematrix.com